

BUILT-ON ROLLER SHUTTER SYSTEMS

BUILT-ON ROLLER SHUTTERS AND SOLUTIONS INTEGRATED INTO THE FACADE





BUILT-ON ROLLER SHUTTERS BY ALUKON

FACADES DESIGNED CREATIVELY

Built-on roller shutters are mounted in front of the window and are eligible likewise for new buildings and for renovations during a refurbishment. As to colouring the wide range of ALUKON shades is available to your taste.

Whether you look for classical roller shutter profiles, s_onro® or exterior blind curtains, there is a perfect solution – on demand also with integrated insect repelling system. ALUKON roller shutter curtains are made out of aluminium or PVC profiles and are on hand in different profile heights.

Other products and novelties are to be found on WWW.ALUKON.COM





Visual protection

more privacy in your home



Insect repelling systems

to be integrated in all roller shutter boxes, keeps out pesky critters



Sun protection

pleasantly cool and shady on hot summer days



Severe weather protection

protects against hail and other damage



Burglar resistance

an additional barrier for your security discourages intruders



Noise protection

reduces noise pollution





Energy saver

supports heat insulation, saves energy and heating costs



Facade design

roller shutters being a part of a vivid facade design



Stability

boxes and profiles made of noncorroding aluminium – solid, long-lasting, low maintenance and recyclable



Ease of use

convenient by electronic drive or simply by cord or strap operation, crank mechanism



Extruded or roll-formed

rollers shutter boxes out of extruded or roll-formed aluminium



Made in Germany

durable, premium quality material







BUILT-ON SYSTEM ROLLER SHUTTERS





QUARTER ROUND



ROUND



20°BEVELLED



45° BEVELLED



90° RECTANGULAR

FORMS AND COLOURS

AS DESIGN FEATURE FOR YOUR FACADE

Built-on roller shutter boxes are available in a multitude of different forms and colours to design individually the facade of your house.





Setting creative accents

in all RAL-colours in brilliant, mat and structured surface or anodized



Extruded or roll-formed

roller shutter boxes out of extruded or roll-formed aluminium



Insect repelling system

to be integrated in all roller shutter boxes



Ease of use

convenient by electronic drive or simply by cord or strap operation, crank mechanism

PLASTERED ROLLER SHUTTERS

PLASTERED RS 20°

PLASTERED RS 90°

SOLUTION INTEGRATED INTO THE FACADE

INVISIBLE AND FUNCTIONAL

ALUKON plastered roller shutters are integrated at new buildings or at a later exterior insulation invisibly into the facade.





Setting creative accents

in all RAL-colours in brilliant, mat and structured surface or anodized



Extruded or roll-formed

roller shutter boxes out of extruded or roll-formed aluminium



Insect repelling system

to be integrated in all roller shutter boxes



Ease of use

convenient by electronic drive or simply by cord or strap operation, crank mechanism

GLASS SLIP GUARD **PROTECTION ROUND** 20° INCLINED 45° INCLINED PLASTER BASE 20° 90° STRAIGHT

PLASTER BASE 20° AND AS PLASTER BASE 90° INCLINED

GLASS SLIP GUARD PROTECTION

CAN BE INTEGRATED INTO FRONT SHUTTER

The ALUKON slip guard protection is a modern, discreet solution for floor-to-ceiling windows. It provides unrestricted visibility to the outside and more daylight intake in the rooms.

Planning is carried out directly with the front-mounted or plaster base roller shutter and can be used in new buildings as well as in modernisation. The 16 mm laminated glass (according to AbP) is inserted into the waterproof, two-part guide rail between the window and roller shutter and fastened in a concealed manner.*



Quick and easy installation

directly with the roller shutter, therefore no additional fastening to the façade is necessary



Glass heights 50 to 110 cm and system widths up to 280 cm; with filigree glass edge protection

^{*}Test certificate according to DIN 18008 for use in Germany is available. Under certain circumstances, coordination with local authorities may be necessary. We recommend you to inform yourself accordingly.









EASE OF USE

FOR EACH APPLICATION THE MOST SUITABLE

It does not matter whether the motorization had been intended at the new building or has to be done later at a modernization, with modern remote control motors all functions are on hand and you control individual roller shutters or groups of roller shutters from your sofa or bureau.

By automatic controls the roller shutter and sun protection equipment open and close completely automatically – also during your absence from home.

Remote control operation

radio controlled drives with handheld transmitter or time switcher offer extra convenience





Automatization

sun protection equipment are Smart Home compatible and can be integrated in existing home controls







ELEGANCE ON THE WINDOW

DESIGN FACADES WITH ROLLER SHUTTERS

Roller shutters made out of high-quality aluminium provide a high dimensional stability and are therefore especially robust. They are decorative and elegant, are heatinsulating as well as burglar resistant, provide additional amenities such as light regulation, visual, sun and severe weather protection.



Sun protection

comfortable indoor climate also during hot summer days



Visual protection

more privacy in your own home





Protection against severe weather

protects the windows against hail and storm damage



non-corroding, double-walled aluminium

profiles

Facade design

large choice of different profiles and colours



INCREASED PROTECTION

FOR NEW BUILDINGS AND REFURBISHMENT

The roller shutter curtain particularly robust out of hard foam profiles in connection with the reinforced security final slat increases the resistivity. The extruded security covers reinforce additionally the guide rails and provide for extra burglar resistance.





Burglar resistance

increased protection by concealed fixations, reinforced final slat and additional guide rail cover



Stability

through the extruded roller shutter box and aluminium profiles with particularly solid hard foam



Ease of use

motor drive with anti-lift device

S_ONRO®



TRANSPARENT AND ROBUST

MODERN, WELL DESIGNED VISUAL PROTECTION

S_onro®, the perfect symbiosis out of roller shutter and sun protection. Modern, well designed visual protection and transparent at the same time.

From 20° position of the sun, there is no direct insolation into the room whereas the vision to the outside is not impaired. The luminance inside the room can be regulated by closing the curtain towards dim-out.





Visual protection

modern, clearly designed visual protection and transparent at the same time



Insect repelling system

to be integrated in all roller shutter boxes, keeps out pesky critters



Sun protection

from 20° position of the sun, there is no direct insolation into the room



COMPLETE SYSTEM COMPONENT

WITH WELL-DESIGNED COMPONENTS

TRADI NEO is a complete self-supporting roller shutter system designed for new buildings and the renovation of existing header boxes. It consists of guide rails, shaft with attachment, control unit and roller shutter curtain made of aluminium or PVC.

What is special about this system is the flexible shaft bearing allowing the universal bearings to be fixed in five different positions, depending on the box size and required curtain height. This achieves the highest level of flexibility with a minimum of components, making the TRADI NEO unique.



Quick and easy installation

Shaft with curtain and bearing are inserted in the header box



Ease of use

conveniently by electric drive or simply with belt or crank operation



LIGHT REGULATION

VARIABLE VISON AND SUN PROTECTION

Modern sun protection esthetically integrated into the facade design blazing at the same time the living space with cosy light.

The light incidence can be regulated and adapted flexibly for your liking. ALUKON built-on exterior blinds can be equipped with integrated insect repelling system on demand.





Visual protection

more privacy and pleasant lighting conditions



Facade design

flat or crimped aluminium slats in a large variety of colours



Sun protection

flexible shadowing and individual regulation of light incidence



Insect repelling systems to be integrated in all exterior blind boxes



DESIGN AND FUNCTION

MORE THAN 250 CLOTHS

Whether new building or refurbishment – with ZipTex you will get a modern, versatile design for sun protection.

The textile curtains create a special atmosphere of the room allowing at the same time transparency to the outside. The variety of cloths and the installation options provide for different possibilities to match light and colour.





Visual protection

more privacy in your own home



Sun protection

pleasant indoor climate in particular on hot summer days



Anti-glare

transparent fabric for an anti-glare room atmosphere



For large surfaces

up to 18 m² and a max. width of 600 cm

ABSTRACT

ROLLER SHUTTER PROFILES AND EXTERIOR BLIND SLATS

Built-on roller shutters

	M 317	KM 317	MY 442	M 521	KM 521			
Profile	foamed	PVC	foamed	foamed	PVC			
	aluminium profile	roller shutter profile	aluminium profile	aluminium profile	roller shutter profile			
	37 7.8	27.7	9,3	2,20	7,7			
Technical data				T				
Profile blind surface	37,0 mm	37,0 mm	42,0 mm	52,2 mm	52,2 mm			
Weight (./. final slat):	2,80 kg/m²	3,00 kg/m²	2,85 kg/m²	3,10 kg/m²	3,60 kg/m²			
Max. width	290 cm	200 cm	400 cm	380 cm	280 cm			
Max. surface	6,5 m ²	3,0 m²	8,5 m²	8,5 m ²	4,6 m²			
Profile colours		Г		T				
	white	white	white*	white	white			
	light ivory	light ivory	white 9016	light ivory	light ivory			
	light beige	light beige	light ivory*	light beige	light beige			
	santiago grey	santiago grey	light beige*	santiago grey	santiago grey			
	grey	grey	grey*	grey	grey			
	cream white	wooden colour	cream white*	cream white	wooden colour			
	light grey		light grey	light grey				
	velvet grey		naturel	velvet grey				
	naturel		grey aluminium	naturel				
	grey aluminium		DB 703	grey aluminium				
	DB 703		metallic black	DB 703				
	basalt grey		basalt grey	anthracite grey				
	anthracite grey		anthracite grey	quartz grey				
	concrete grey		quartz grey	jet black				
	quartz grey		black grey	moss green				
	black grey		jet black	velvet brown				
	jet black		steel blue	jamaican brown				
	moss green		fir green	oak				
	purple red		velvet brown*	teak				
	bronce		jamaican brown					
	dark beige		golden oak					
	velvet brown		teak					
	oak		walnut					
	golden oak							
	teak							

^{*} available for security shutters with hard foam

Built-on exterior blinds

slats	F 80 Flat slats	CV 80 flanged slats	Z 80 Z-shaped, flanged slats	LS 80 Light guiding slats						
	78	10.5	© 000 000 000 000 000 000 000 000 000 0	80						
Technical data for external venetian blinds										
max. width	360 cm	360 cm	360 cm	360 cm						
max. height	366 cm	225 cm	200 cm	215 cm						



- * Colour is also avanable
 ** only for Z 80 and LS 80 Colour is also available in matt

ABSTRACT

BUILT-ON BOXES AND PLASTERED BOXES

Vorbau- und Putzträgerkasten rollgeformt


100 125 138 150	A 102	B B	of box ii	n mm D	white 9016 m. (standard)	white			ndarc				1111		ge)
100 125 138 150	102		С	D	e 9016 m. ıdard)	white							188		ge)
125 138 150		102			whit. (star	cream white	silver*	agate grey	quartz grey	anthracite grey	nougat brown*	brown SF*	golden oak (surcharge)	DB 703*	RAL (surcharge)
125 138 150		102													
138 150	127	102	88	63	•					•		•			•
150		127	108	88	•		•	•		•	•	•			•
	139	139	117	99	•		•	•		•	•	•		•	•
465	153	153	129	113	•		•	•		•	•	•		•	•
165	168	168	145	128	•		•	•		•	•	•		•	•
180	184	184	156	143	•		•	•		•	•	•		•	•
205	210	210	179	170	•		•	•		•	•	•		•	•
125	127	127	96	88	•		•	•		•		•			•
138	139	139	103	104	•		•	•		•	•	•	•	•	•
150	153	153	112	116	•	•	•	•	•	•	•	•	•	•	•
165	169	169	121	126	•	•	•	•	•	•	•	•	•	•	•
180	184	184	133	145	•	•	•	•	•	•	•	•	•	•	•
205	209	209	151	168	•	•	•	•	•	•	•	•	•	•	•
230	232	230	162	186				•				•			•
254	254	253	176	208				•				•			•
100	102	102	102	65											•
125	127	127	127	86	•										•
138	139	139	139	101	•										•
150	153	153	153	112	•										•
165	168	168	168	127	•										•
180	184	184	184	142	•										•
205	209	209	209	172	•										•
138	141	118	78	148	•		•			•		•			•
150	152	131	84	160	•	•	•			•		•			•
165	169	143	92	176	•	•	•			•		•			•
180	183	156	99	191	•	•	•			•		•			•
205	210		113	219	•	•	•			•		•			•
					•		•			•		•	•		•
			76		•		•		•	•		•			•
					•		•		•	•		•	•		•
					•		•		•	•		•			•
205		209	106	166	•		•		•	•		•	•		•
125	127	127	108	86	•							•			•
			117	99	•							•	•		•
150			129	112	•							•	•		•
165				126	•							•	•		•
					•							•	•		•
					•							•			•
					•							•			•
					•							•	•		•
					•							•	•		•
					•							•	•		•
					•							•	•		•
	125 138 150 165 180 205 230 254 100 125 138 150 165 180 205 138 150 165 180 205 138 150 165 138 150 165 138 150	125 127 138 139 150 153 165 169 180 184 205 209 230 232 254 254 100 102 125 127 138 139 150 153 165 168 180 184 205 209 138 141 150 152 165 169 180 183 205 210 138 139 150 153 165 169 180 184 205 209 125 127 138 139 150 153 165 168 180 184 205 210 125 127 138 139 150	125 127 127 138 139 139 150 153 153 165 169 169 180 184 184 205 209 209 230 232 230 254 253 100 102 102 125 127 127 138 139 139 150 153 153 153 165 168 168 180 184 184 184 205 209 209 209 131 165 169 143 180 183 156 205 201 179 138 139 139 139 150 153 153 165 169 169 169 180 184 184 205 209 209 209 209 209 150 153 153 165 169 169 180 184 184 205 209 <td>125 127 127 96 138 139 139 103 150 153 153 112 165 169 169 121 180 184 184 133 205 209 209 151 230 232 230 162 254 254 253 176 100 102 102 102 125 127 127 127 138 139 139 139 150 153 153 153 155 168 168 168 180 184 184 184 205 209 209 209 138 141 118 78 150 152 131 84 165 169 143 92 180 183 156 99 205 210 179 113</td> <td>125 127 127 96 88 138 139 139 103 104 150 153 153 112 116 165 169 169 121 126 180 184 184 133 145 205 209 209 151 168 230 232 230 162 186 254 254 253 176 208 100 102 102 102 65 125 127 127 127 86 138 139 139 139 101 150 153 153 153 112 165 168 168 168 127 180 184 184 184 142 205 209 209 209 172 138 141 118 78 148 150 152 13</td> <td>125 127 127 96 88 • 138 139 139 103 104 • 150 153 153 112 116 • 165 169 169 121 126 • 180 184 184 133 145 • 205 209 209 151 168 • 230 232 230 162 186 • 254 254 253 176 208 • 100 102 102 102 65 • 125 127 127 127 86 • 138 139 139 101 • 150 153 153 153 112 • 165 168 168 168 127 • 180 184 184 184 142 • 205 209 209</td> <td>125 127 127 96 88 • 138 139 139 103 104 • 150 153 153 112 116 • • 165 169 169 121 126 • • 180 184 184 133 145 • • 205 209 209 151 168 • • 230 232 230 162 186 • • 230 232 230 162 186 • • 254 253 176 208 • • 100 102 102 65 • 125 127 127 127 86 • 138 139 139 101 • 150 153 153 153 112 • 165 168 168 168 127</td> <td>125 127 127 96 88 • • 138 139 139 103 104 • • 150 153 153 112 116 • • • 165 169 169 121 126 • • • 180 184 184 133 145 • • • 205 209 209 151 168 • • • 230 232 230 162 186 • • • 230 232 230 162 186 • • • 230 232 230 162 186 • • • 100 102 102 102 65 • • 125 127 127 127 86 • • 138 139 139 139 101 •</td> <td>125 127 127 96 88 •</td> <td>125 127 127 96 88 •</td> <td>125 127 127 96 88 •</td> <td>125 127 127 96 88 •</td> <td>125 127 127 96 88 •</td> <td>125 127 127 96 88 •</td> <td> 125</td>	125 127 127 96 138 139 139 103 150 153 153 112 165 169 169 121 180 184 184 133 205 209 209 151 230 232 230 162 254 254 253 176 100 102 102 102 125 127 127 127 138 139 139 139 150 153 153 153 155 168 168 168 180 184 184 184 205 209 209 209 138 141 118 78 150 152 131 84 165 169 143 92 180 183 156 99 205 210 179 113	125 127 127 96 88 138 139 139 103 104 150 153 153 112 116 165 169 169 121 126 180 184 184 133 145 205 209 209 151 168 230 232 230 162 186 254 254 253 176 208 100 102 102 102 65 125 127 127 127 86 138 139 139 139 101 150 153 153 153 112 165 168 168 168 127 180 184 184 184 142 205 209 209 209 172 138 141 118 78 148 150 152 13	125 127 127 96 88 • 138 139 139 103 104 • 150 153 153 112 116 • 165 169 169 121 126 • 180 184 184 133 145 • 205 209 209 151 168 • 230 232 230 162 186 • 254 254 253 176 208 • 100 102 102 102 65 • 125 127 127 127 86 • 138 139 139 101 • 150 153 153 153 112 • 165 168 168 168 127 • 180 184 184 184 142 • 205 209 209	125 127 127 96 88 • 138 139 139 103 104 • 150 153 153 112 116 • • 165 169 169 121 126 • • 180 184 184 133 145 • • 205 209 209 151 168 • • 230 232 230 162 186 • • 230 232 230 162 186 • • 254 253 176 208 • • 100 102 102 65 • 125 127 127 127 86 • 138 139 139 101 • 150 153 153 153 112 • 165 168 168 168 127	125 127 127 96 88 • • 138 139 139 103 104 • • 150 153 153 112 116 • • • 165 169 169 121 126 • • • 180 184 184 133 145 • • • 205 209 209 151 168 • • • 230 232 230 162 186 • • • 230 232 230 162 186 • • • 230 232 230 162 186 • • • 100 102 102 102 65 • • 125 127 127 127 86 • • 138 139 139 139 101 •	125 127 127 96 88 •	125 127 127 96 88 •	125 127 127 96 88 •	125 127 127 96 88 •	125 127 127 96 88 •	125 127 127 96 88 •	125

^{*} These colours do not correspond to a RAL shade. Integrated insect repelling system possible in all box sizes from 138 - 205 (quarter-round box 150 – 205).

Extruded built-on and plastered boxes

		Dimensions of box in mm				Available box colours					
		Difficults of box in milli				Standard colours					
Form of box	Size of box	A	В	С	D	white 9016 m. (standard)	silver anod.	brown SF*	ALUKON RAL colour range	RAL (surcharge)	
Built-on boxes											
	100	102	102	88	60	•	•	•	•	•	
В	125	127	127	108	85	•	•	•	•	•	
	138	139	139	117	99	•	•	•	•	•	
	150	153	153	129	111	•	•	•	•	•	
	165	168	168	145	125	•	•	•	•	•	
20° bevelled	180	184	184	156	141	•	•	•	•	•	
access in front	205	210	210	179	170	•	•	•	•	•	
В	125	127	127	108	85	•	•	•	•	•	
1	138	139	139	117	99	•	•	•	•	•	
° A	150	153	153	129	112	•	•	•	•	•	
	165	168	168	145	126	•	•	•	•	•	
20° bevelled	180	184	184	156	144	•	•	•	•	•	
access at the bottom	205	210	210	179	164	•	•	•	•	•	
В	138	139	139	103	99	•	•	•	•	•	
c	150	153	153	112	114	•	•	•	•	•	
A A	165	169	169	121	125	•	•	•	•	•	
	180	184	184	133	140	•	•	•	•	•	
45°° bevelled	205	209	209	151	169	•	•	•	•	•	
В	138	139	139	139	90				•	•	
	150	153	153	153	103				•	•	
	165	168	168	168	127				•	•	
D	180	184	184	184	139				•	•	
90° rectangular	205	209	209	209	168				•	•	
D	138	141	123	78	148	•	•	•	•	•	
B . C .	150	152	133	84	160	•	•	•	•	•	
(A	165	169	146	92	176	•	•	•	•	•	
	180	183	158	99	191	•	•	•	•	•	
round	205	210	183	113	219	Ŀ	•	•	•	•	
Plastered boxes											
г. В.	125	127	127	111	85	•	•	•	•	•	
	138	139	139	120	99	•	•	•	•	•	
C	150	153	153	132	112	•	•	•	•	•	
10 mm D	165	168	168	148	129	•	•	•	•	•	
	180	184	184	159	144	•	•	•	•	•	
20° bevelled	205	210	210	171	164	•	•	•	•	•	
В	138	139	139	139	90				•	•	
	150	153	153	153	103				•	•	
c A	165	168	168	168	127				•	•	
10 mm D	180	184	184	184	139				•	•	
90° bevelled	205	209	209	209	168				•	•	
, o bevelled	203	207	207	207	100	<u> </u>					

Types of installation



^{*} These colours do not correspond to a RAL shade. Integrated insect repelling system possible in all box sizes from 138 – 205.

ALUKON COLOUR VARIETY

FOR ALL POWDER COATED ALUMINIUM PRODUCTS

ALUKON RAL colour range

brillant, matt or structured coating

All other RAL colours, roll formed boxes, assembled components with roll formed boxes in RAL as well as extruded roller shutter profiles and curtains are excluded from this special colour range. For the corresponding prices and extra charges please refer to our catalogue or our price list for assembled components.



Surface types

All aluminium surfaces are durable, easy to clean and suitable for façades, with excellent wheater proof and light resistance features. All products are coated with the latest technology in our modern powder coating facility to provide your favourite colours and surface type - Made in Germany.

ALUKON SUN PROTECTION, ROLLER SHUTTERS AND INSECT REPELLING SYSTEMS

QUALITY PRODUCTS MADE IN GERMANY

ALUKON is one of the leading German manufacturers of roller shutters, sun protection and insect repelling systems. We produce on two sites in Konradsreuth (Upper Franconia) and in Haigerloch (Swabia).

ALUKON products are developed with enthusiasm and innovative capacity out of high-grade and durable material made-to-measure both for modernization or for new buildings.

Our variety of products and colours holds the most suitable ready for your liking amongst a lot of supplementary equipments. Individual integrated solutions are from one source.

Privacy, indoor climate and mood of the light can be adapted individually with ALUKON products.

More products and novelties are shown on our website WWW.ALUKON.COM

D-72401 Haigerloch Telephone: +49 7474 3914-0 Mail: info.haigerloch@alukon.com

Guidance, planning, sales and installation. All from one source.

