



ALUKON
Sonnenschutz Rollladen Insektenschutz

TOP-MOUNTED SYSTEM

AK-FLEX.2



WWW.ALUKON.COM

ALUKON
Sonnenschutz Rollläden Insektenschutz

TOP-MOUNTED SYSTEM AK-FLEX.2

ON THE WINDOW

AK-FLEX.2 - From classic roller shutters and venetian blinds to ZipTex textile sun protection.

On request, the system can be equipped with integrated insect protection for AK-FLEX.2 . You can choose from a wide range of decorative foils and ALUKON colour options.

**More products and innovations can also be found at
WWW.ALUKON.COM**



MORE THAN JUST A TOP-MOUNTED BOX

OUR ALUKON SYSTEMS HAVE MORE ADVANTAGES THAN YOU THINK



Privacy protection

more privacy in your own home



Insect protection

can be integrated into AK-FLEX.2, keeps annoying insects away



Sun protection

pleasant indoor climate, even on hot summer days



Energy saving

excellent thermal insulation



Anti-burglary protection

an additional barrier for your safety, deterring intruders



Sound protection

offers the highest level of sound protection



Easy to install

the box can be easily snapped onto the window frame using the adapter profile



Ease of use

conveniently by electric drive or simply with belt, cord or crank operation



Stability

Profiles made of corrosion-resistant aluminium - solid, durable, low-maintenance and recyclable



Weather protection

the connection to the window is already wind-proof thanks to the snap-in adapter profile without the need for additional measures - no additional seals need to be implemented



Facade design

Curtains and guide rails in many different colours



Made in Germany

durable, high-quality materials



SUITABLE FOR ALL INSTALLATION SITUATIONS

NEW CONSTRUCTION AND RENOVATION

The ALUKON top-mounted boxes are suitable for all installation situations and wall structures. Regardless of whether a thermal insulation composite system, external plaster, clinker or slate facade, there is always a suitable solution.



AK-FLEX.2

TOP-MOUNTED BOX



ROLLER SHUTTER AS
CLINKER VERSION



EXTERNAL VENE-
TIAN BLIND AS
CLINKER VERSION



VENETIAN
BLINDS



ZIPTEX INSPECTION
INSIDE OR
OUTSIDE




ROLLER SHUTTER INPSECTION
INSIDE or OUTSIDE

FOAMED TOP-MOUNTED BOX

FOR NEW CONSTRUCTION AND RENOVATION

The foamed top-mounted box AK-FLEX.2 is specially designed for new buildings or renovations together with the entire window and meets the current requirements for both thermal and sound insulation.

You can use the AK-FLEX.2 for all wall structures and installation situations. Regardless of whether thermal insulation composite system, exterior plaster, clinker or slate facade, the AK-FLEX.2 universal box can always be used. Its flexibility and the possibility to adapt its external dimensions to the building situation makes it particularly suitable for prefabricated houses or requirements for fixed wall thicknesses.



Sound protection

offers the highest level of sound protection. Depending on the type of box, values of up to 46/47 dB can be achieved without complex additional measures



Energy saving

thanks to the snap-on adapter profile, the connection to the window is made without additional windproof sealing



Facade design

depending on requirements with roller shutter, external venetian blind or ZipTex curtain available




Insect protection

integrated insect protection available

GLASS SLIP GUARD

PROTECTION

FOR AK-FLEX.2



VENETIAN BLINDS


ROLLER SHUTTERS

GLASS SLIP GUARD PROTECTION

CAN BE INTEGRATED INTO AK-FLEX.2

The ALUKON slip guard protection is a modern, discreet solution for floor-to-ceiling windows. It provides unrestricted visibility to the outside and more daylight intake in the rooms.

Planning is carried out directly with the top-mounted box AK-FLEX.2. The 16 mm laminated glass (according to AbP) is inserted into the waterproof, multi-part guide rail between the window and roller shutter or venetian blind and fastened in a concealed manner.




Quick and easy installation

directly with the top-mounted box AK-FLEX.2, therefore no additional fastening to the facade is necessary



Tested safety

Glass heights 50 to 110 cm and system widths up to 280 cm; with filigree glass edge protection



INSECTS STAY OUTSIDE

EVEN WHEN THE WINDOW IS OPEN

Our insect protection screen can be integrated into the top-mounted box AK-FLEX.2 with roller shutters or venetian blinds.

In summer, it protects against annoying insects, and in winter it disappears invisibly into the box to save space.



AK-FLEX.2

INTEGRATED INSECT PROTECTION

FOR BETTER QUALITY OF LIVING

The optional insect protection screen mounted on a spring shaft is invisibly integrated in the box behind the curtain. It is available for the AK-FLEX.2 box with roller shutter or venetian blind curtain.

It can be operated like a roller blind, pulled down if necessary and clicked into place via the easy-click mechanism and stored invisibly rolled up in the box in the winter.

The insect protection screen gauze is available in sturdy fabric in black or grey.



CONVENIENT OPERATION

THE RIGHT ONE FOR EVERY APPLICATION

Regardless of whether the motorisation is planned for a new building or is carried out afterwards during a renovation, with modern radio motors you have all the functionality you need to conveniently control individual roller shutters or groups of roller shutters from your sofa or desk.

With automatic controls, the roller shutter and sun shading systems fully open and close automatically - even when you are not at home.

Radio control

Radio drives with hand-held transmitters or timers offer additional convenience



Automation

With suitable hand-held transmitters or timers, sun protection systems are Smart Home compatible and can be integrated into existing house controls



MOTOR DRIVES

THE COMFORT GAIN FOR YOU

The motorisation of roller shutters and sun protection systems guarantees additional comfort.

ALUKON sun protection systems can be operated smoothly and quietly with electric motors simply by pressing a button or operated fully automatically.





OVERVIEW

CURTAIN VARIANTS


Top-mounted roller shutters

Profiles	M 317 foamed aluminium profile	KM 317 PVC Roller shutter profile	MY 442 foamed aluminium profile	M 521 foamed aluminium profile	KM 521 PVC Roller shutter profile
Technical data					
Profile covering width	37.0 mm	37.0 mm	42.0 mm	52.2 mm	52.2 mm
Weight (without SL):	2.80 kg/m ²	3.00 kg/m ²	2.85 kg/m ²	3.10 kg/m ²	3.60 kg/m ²
max. width	290 cm	200 cm	400 cm	380 cm	280 cm
max. area	6.5 m ²	3.0 m ²	8.5 m ²	8.5 m ²	4.6 m ²
Profile insert options					
AK-FLEX.2	•	•	•	•	•
Profile colours					
	white	white	white	white	white
	santiago grey	santiago grey	white 9016	santiago grey	santiago grey
	light grey	light grey	light grey	light grey	light grey
	light beige	light beige	light beige	light beige	light beige
	light ivory	light ivory	light ivory	light ivory	light ivory
	cream white	wood	cream white	cream white	wood
	velvet grey		sand beige	velvet grey	
	light grey		light grey	light grey	
	natural		natural	natural	
	grey aluminium		grey aluminium	grey aluminium	
	DB 703 iron-mica		DB 703 iron-mica	DB 703 iron-mica	
	black metallic		black metallic	anthracite grey	
	anthracite grey		basalt grey	moss green	
	steel blue		anthracite grey	oak	
	moss green		quartz grey	teak	
	fir green		umbra grey	velvet brown	
	crimson		jet black	Jamaica brown	
	dark beige		steel blue		
	oak		moss green		
	golden oak		fir green		
	teak		crimson		
	velvet brown		Irish oak		
	bronze		golden oak		
			teak		
			walnut		
			mahogany		
			velvet brown		
			Jamaica brown		

Top-mounted roller shutter

slats	F 80 Flat slats	CV 80 flanged slats	Z 80 Z-shaped, flanged slats	LS 80 Light guiding slats
				
Technical data for AK-FLEX.2				
max. width	500 cm	500 cm	400 cm	400 cm
max. height	450 cm	300 cm	260 cm	260 cm
Slat colours				
	RAL 7016 anthracite grey			
	RAL 7021 black grey			
	RAL 7035 light grey			
	RAL 7038 agate grey			
	RAL 8019 grey-brown			
	RAL 9001 cream white			
	RAL 9006 white aluminium			
	RAL 9007 grey aluminium			
	RAL 9016 traffic white			
	DB 703 iron-mica			

ZipTex (only for AK-FLEX.2)







	Curtain variant
	Satiné 5500
	twilight PEARL 297
	SOLTIS® 86
	SOLTIS® 92
	SOLTIS® B92 (blackout fabric)
	Orchestra Uni

Subject to technical changes. Colour deviations are printing related.

OVERVIEW


TOP-MOUNTED AND RENOVATION BOX

AK-FLEX.2


Shape of box	Base size	Box dimensions in mm		U _{sb} value (W/m ² K)
		A	B	
AK-FLEX.2				
Internal inspection 	270	270	260	0.58
	300	300	260	0.52
	365	365	260	0.47
External inspection 	270	270	260	0.53
	300	300	260	0.46
	365	365	260	0.40
Venetian blinds 	270	270	260	0.44
	300	300	260	0.43
	365	365	260	0.35
AK-FLEX.2 clinker boxes				
Internal inspection 	253	253	260	0.65
	283	283	260	0.57
	248	248	260	0.50
External inspection 	253	253	260	0.58
	283	283	260	0.49
	248	248	260	0.42
Venetian blinds 	253	253	260	0.44
	283	283	260	0.47
	248	248	260	0.37
*depending on the installation situation				

Types of installation


Variants



AK-FLEX.2 - Internal inspection



AK-FLEX.2 - External inspection

Standard foils of guide rails for AK-FLEX.2

White (standard)

Golden oak
(Renolit no. 2178 001-1167)Anthracite grey
(Renolit no. 7016 05-1167)Anthracite grey
smooth
(Renolit no. 7016 05-8083)DB 703
(Hornschuch 436-1014)**Further foils available on request.**

Subject to technical changes. Colour deviations are printing related.

ALUKON COLOUR RANGE

FOR ALL POWDER-COATED ALUMINIUM PRODUCTS

ALUKON RAL colour collection

in gloss, matt and textured paint coating

All other RAL colours, as well as roll-formed panels, prefabricated elements with roll-formed boxes in RAL, all extruded roller shutter profiles and finished shells are excluded from this special regulation. The corresponding prices and surcharges can be found in our catalogue or our item price list.

ALUKON Standard colours

detailed information in our price lists

ALUKON RAL colour collection
































in gloss, matt and textured paint coating

RAL Classic Colours K7

in gloss surface

Special colours and manufacturer-related colour shades

subject to availability

				
RAL 1015 light ivory	RAL 3004* crimson	RAL 3005 wine red	RAL 5011 steel blue	RAL 6005* moss green
				
RAL 6009* fir green	RAL 7001 silver grey	RAL 7004* signal grey	RAL 7012* basalt grey	RAL 7015 slate grey
				
RAL 7016* anthracite grey	RAL 7021 black grey	RAL 7022 umbra grey	RAL 7035* light grey	RAL 7037 powder grey
				
RAL 7038 agate grey	RAL 7039 quartz grey	RAL 8001* ochre brown	RAL 8003* clay brown	RAL 8007 fawn brown
				
RAL 8017* chocolate brown	RAL 8019* grey-brown	RAL 8022 black-brown	RAL 9001 cream white	RAL 9005 jet black
				
RAL 9006 white aluminium	RAL 9007 grey aluminium	RAL 9010 pure white	RAL 9016 traffic white	
				
6768* brown matt and textured	DB 703 metallic grey matt and textured			

*highly weatherproof coating for matt surfaces

Surface qualities

All aluminium surfaces are durable, easy to clean and have facade suitability with good light and weathering resistance. All products are coated in our own state-of-the-art powder-coating facility in the desired colours and surface qualities - Made in Germany.

ALUKON SUN PROTECTION, ROLLER SHUTTERS AND INSECT SCREENS

QUALITY PRODUCTS MADE IN GERMANY

ALUKON is one of the leading German manufacturers of roller shutters, sun and insect protection products. Our production takes place at two locations in Konradsreuth in Upper Franconia and Haigerloch in Swabia.

ALUKON products are developed with great commitment and a high level of innovation and are made to measure from high-quality and durable materials, whether for modernisation or new construction.

Find the right product and colour variety for your needs and choose from a wide range of additional options. We offer you customised complete solutions from a single source.

With ALUKON products, you can individually adapt the privacy, indoor climate and lighting mood in the room.

**More products and innovations can also be found at
WWW.ALUKON.COM**

ALUKON KG KONRADSREUTH | Münchberger Straße 31 | D-95176 Konradsreuth | **Telephone:** +49 9292 950-0 | **E-mail:** info@alukon.com
HAIGERLOCH | Am Griesbaum 1 | D-72401 Haigerloch | **Telephone:** +49 7474 3914-0 | **E-mail:** info.haigerloch@alukon.com

com

Consulting, planning, sales and assembly. Everything from one source.

ALUKON
Sonnenschutz Rollladen Insektenschutz