

#### **BUILT-ON ROLLER SHUTTER SYSTEMS**

BUILT-ON ROLLER SHUTTERS AND SOLUTIONS INTEGRATED INTO THE FACADE





### **BUILT-ON ROLLER SHUTTERS BY ALUKON**

FACADES DESIGNED CREATIVELY

Built-on roller shutters are mounted in front of the window and are eligible likewise for new buildings and for renovations during a refurbishment. As to colouring the wide range of ALUKON shades is available to your taste.

Whether you look for classical roller shutter profiles, s\_onro® or exterior blind curtains, there is a perfect solution – on demand also with integrated insect repelling system. ALUKON roller shutter curtains are made out of aluminium or PVC profiles and are on hand in different profile heights.

Other products and novelties are to be found on WWW.ALUKON.COM





#### **Visual protection**

more privacy in your home



#### **Insect repelling systems**

to be integrated in all roller shutter boxes, keeps out pesky critters





#### **Sun protection**

pleasantly cool and shady on hot summer days



#### **Severe weather protection**

protects against hail and other damage



#### **Burglar resistance**

an additional barrier for your security discourages intruders



#### **Noise protection**

reduces noise pollution





#### **Energy saver**

supports heat insulation, saves energy and heating costs



#### **Facade design**

roller shutters being a part of a vivid facade design



#### **Stability**

boxes and profiles made of noncorroding aluminium – solid, long-lasting, low maintenance and recyclable



#### **Ease of use**

convenient by electronic drive or simply by cord or strap operation, crank mechanism



#### **Extruded or roll-formed**

rollers shutter boxes out of extruded or roll-formed aluminium



#### **Made in Germany**

durable, premium quality material









# BUILT-ON SYSTEM ROLLER SHUTTERS





ROUND

20°BEVELLED



45° BEVELLED



90° RECTANGULAR

#### **FORMS AND COLOURS**

AS DESIGN FEATURE FOR YOUR FACADE

Built-on roller shutter boxes are available in a multitude of different forms and colours to design individually the facade of your house.





#### **Setting creative accents**

in all RAL-colours in brilliant, mat and structured surface or anodized



roller shutter boxes out of extruded or roll-formed aluminium



#### **Insect repelling system**

to be integrated in all roller shutter boxes



#### **Ease of use**

convenient by electronic drive or simply by cord or strap operation, crank mechanism

# **PLASTERED ROLLER SHUTTERS**

PLASTERED RS 20°

PLASTERED RS 90°

#### **SOLUTION INTEGRATED INTO** THE FACADE

INVISIBLE AND FUNCTIONAL

ALUKON plastered roller shutters are integrated at new buildings or at a later exterior insulation invisibly into the facade.





#### **Setting creative accents**

in all RAL-colours in brilliant, mat and structured surface or anodized



#### **Extruded or roll-formed**

roller shutter boxes out of extruded or roll-formed aluminium



#### **Insect repelling system**

to be integrated in all roller shutter boxes



#### **Ease of use**

convenient by electronic drive or simply by cord or strap operation, crank mechanism

# GLASS SLIP GUARD **PROTECTION ROUND** 20° INCLINED 45° INCLINED **PLASTER BASE 20°** 90° STRAIGHT

PLASTER BASE 20° AND AS PLASTER BASE 90° INCLINED


#### **GLASS SLIP GUARD PROTECTION**

CAN BE INTEGRATED INTO FRONT SHUTTER

The ALUKON slip guard protection is a modern, discreet solution for floor-to-ceiling windows. It provides unrestricted visibility to the outside and more daylight intake

in the rooms.

Planning is carried out directly with the front-mounted or plaster base roller shutter and can be used in new buildings as well as in modernisation. The 16 mm laminated glass (according to AbP) is inserted into the waterproof, two-part guide rail between the window and roller shutter and fastened in a concealed manner.\*





#### **Quick and easy installation**

directly with the roller shutter, therefore no additional fastening to the façade is necessary

#### **Tested safety**

Glass heights 50 to 110 cm and system widths up to 280 cm; with filigree glass edge protection

<sup>\*</sup>Test certificate according to DIN 18008 for use in Germany is available. Under certain circumstances, coordination with local authorities may be necessary. We recommend you to inform yourself accordingly.







#### **EASE OF USE**

FOR EACH APPLICATION THE MOST SUITABLE

It does not matter whether the motorization had been intended at the new building or has to be done later at a modernization, with modern remote control motors all functions are on hand and you control individual roller shutters or groups of roller shutters from your sofa or bureau.

By automatic controls the roller shutter and sun protection equipment open and close completely automatically – also during your absence from home.

#### **Remote control operation**

radio controlled drives with handheld transmitter or time switcher offer extra convenience





#### **Automatization**

sun protection equipment are Smart Home compatible and can be integrated in existing home controls







#### **ELEGANCE ON THE WINDOW**

**DESIGN FACADES WITH ROLLER SHUTTERS** 

Roller shutters made out of high-quality aluminium provide a high dimensional stability and are therefore especially robust. They are decorative and elegant, are heatinsulating as well as burglar resistant, provide additional amenities such as light regulation, visual, sun and severe weather protection.



#### **Sun protection**

comfortable indoor climate also during hot summer days



#### **Visual protection**

more privacy in your own home



#### **Stability**

non-corroding, double-walled aluminium profiles



#### **Protection against severe weather**

protects the windows against hail and storm damage



#### **Facade design**

large choice of different profiles and colours



#### **INCREASED PROTECTION**

FOR NEW BUILDINGS AND REFURBISHMENT

The roller shutter curtain particularly robust out of hard foam profiles in connection with the reinforced security final slat increases the resistivity. The extruded security covers reinforce additionally the guide rails and provide for extra burglar resistance.





#### **Burglar resistance**

increased protection by concealed fixations, reinforced final slat and additional guide rail cover



#### **Stability**

through the extruded roller shutter box and aluminium profiles with particularly solid hard foam



#### **Ease of use**

motor drive with anti-lift device

## S\_ONRO®



#### **TRANSPARENT AND ROBUST**

MODERN, WELL DESIGNED VISUAL PROTECTION

S\_onro®, the perfect symbiosis out of roller shutter and sun protection. Modern, well designed visual protection and transparent at the same time.

From 20° position of the sun, there is no direct insolation into the room whereas the vision to the outside is not impaired. The luminance inside the room can be regulated by closing the curtain towards dim-out.





#### **Visual protection**

modern, clearly designed visual protection and transparent at the same time



#### **Insect repelling system**

to be integrated in all roller shutter boxes, keeps out pesky critters



#### **Sun protection**

from 20° position of the sun, there is no direct insolation into the room







#### **LIGHT REGULATION**

VARIABLE VISON AND SUN PROTECTION

Modern sun protection esthetically integrated into the facade design blazing at the same time the living space with cosy light.

The light incidence can be regulated and adapted flexibly for your liking. ALUKON built-on exterior blinds can be equipped with integrated insect repelling system on demand.





#### **Visual protection**

more privacy and pleasant lighting conditions



#### **Facade design**

flat or crimped aluminium slats in a large variety of colours



#### **Sun protection**

flexible shadowing and individual regulation of light incidence



#### **Insect repelling systems**

to be integrated in all exterior blind boxes





#### **DESIGN AND FUNCTION**

MORE THAN 250 CLOTHS

Whether new building or refurbishment – with ZipTex you will get a modern, versatile design for sun protection.

The textile curtains create a special atmosphere of the room allowing at the same time transparency to the outside. The variety of cloths and the installation options provide for different possibilities to match light and colour.





#### **Visual protection**

more privacy in your own home



#### **Sun protection**

pleasant indoor climate in particular on hot summer days



#### **Anti-glare**

transparent fabric for an anti-glare room atmosphere



#### For large surfaces

up to 18 m<sup>2</sup> and a max. width of 600 cm

#### **ABSTRACT**

ROLLER SHUTTER PROFILES AND EXTERIOR BLIND SLATS

#### **Built-on roller shutters**

	37	37			-5
	5. 5.	7,8	9,3	2 0 0 12,7	27 99 12,7
Technical data					
Profile blind surface	37,0 mm	37,0 mm	42,0 mm	52,2 mm	52,2 mm
Weight (./. final slat):	2,80 kg/m²	3,00 kg/m²	2,85 kg/m²	3,10 kg/m²	3,60 kg/m²
Max. width	290 cm	200 cm	400 cm	380 cm	280 cm
Max. surface	6,5 m²	3,0 m²	8,5 m²	8,5 m²	4,6 m²
Profile colours					
L	white	white	white*	white	white
	light ivory	light ivory	white 9016	light ivory	light ivory
	light beige	light beige	light ivory*	light beige	light beige
	santiago grey	santiago grey	light beige*	santiago grey	santiago grey
L	grey	grey	grey*	grey	grey
	cream white	wooden colour	cream white*	cream white	wooden colour
	light grey		light grey	light grey	
	velvet grey		velvet grey*	velvet grey	
	naturel		graualuminium	naturel	
589	grey aluminium		DB 703 eisenglimmer	grey aluminium	
<b>X</b>	DB 703		metallic black	DB 703	
	basalt grey		basalt grey	charcoal	
	charcoal		charcoal	moss green	
	concrete grey		quartz grey	velvet brown	
	quartz grey		black-grey	jamaican brown	
	black-grey		deep black	oak	
	deep black		steel blue	teak	
	moss green		fir		
	purple red		velvet brown*		
	bronce		jamaican brown		
	dark beige		golden oak		
	velvet brown		teak		
	oak		walnut		
	golden oak				
	teak				

<sup>\*</sup> available for security shutters with hard foam

#### **Built-on exterior blinds**

slats	F 80 Flat slats	CV 80 flanged slats	Z 80 Z-shaped, flanged slats	LS 80 Light guiding slats		
	78	10.5	88	20 20 20 20 20 20 20 20 20 20 20 20 20 2		
Technical data for ex	xternal venetian blind	ls	_			
max. width	360 cm	360 cm	360 cm	360 cm		
max. height	366 cm	225 cm	200 cm	215 cm		
Slat colours						
	RAL 7016 anthracite grey					
	RAL 7021 black grey					
	RAL 7035 light grey					
	RAL 7038 agate grey					
	RAL 8019 grey-brown					
	RAL 9001 cream white					
	RAL 9006 white aluminium					
	RAL 9007 grey aluminium					
	RAL 9016 traffic white					
	DB 703 iron-mica	9.20	9.5			

#### **ABSTRACT**

**BUILT-ON BOXES AND PLASTERED BOXES** 

#### Built-on and plastered boxes roll-formed


							Available box colours								
		Dimensions of box in mm				Standard colours									
Form of box	Size of box	A	В	С	D	white 9016 m. (standard)	cream white	silver*	agate grey	quartz grey	charcoal	nougat brown*	brown SF*	olden oak surcharge)	RAL (surcharge)
Built-on boxes	•					<u> </u>	0	S	ď	0	0		<u>-</u>	ص م	تعا
Built-oil boxes	100	102	102	88	63	•					•		•		•
	125	127	127	108	88	•			•		•	•	•		•
A   c	138	139	139	117	99	••		• •	• •		• •	• •	• •		•••
	150	153	153	129	113	••		••	• •		• •	••	• •		••
D	165	168	168	145	128	••		• •	• •		• •	• •	• •		••
	180	184	184	156	143	• •		• •	• •		• •	• •	• •		••
20° bevelled	205	210	210	179	170	• •		• •	• •		• •	• •	• •		• •
	125	127	127	96	88	•		•	•		•		•		•
B	138	139	139	103	104	•		• •	• •		•	•	• •	•	• •
_   c	150	153	153	112	116	•	•	••	• •	•	•	•	• •	•	••
]] ]	165	169	169	121	126	••	••	••	••	••	••	••	••	•	••
1.0	180	184	184	133	145	••	••	••	••	••	••	••	••	•	••
	205	209	209	151	168	••	• •	• •	• •	••	••	• •	• •	•	• •
	230	232	230	162	186	•			•				•		•
45° bevelled	254	254	253	176	208	•			•				•		•
В	100	102	102	102	65										•
1	125	127	127	127	86	•									•
A C	138	139	139	139	101	••									••
12 - 1	150	153	153	153	112	••									• •
, D ,	165	168	168	168	127	••									••
	180	184	184	184	142	• •									• •
90° rectangular	205	209	209	209	172	••									••
B	138	141	118	78	148	••		••			••		••		• •
C D	150	152	131	84	160	• •	• •	• •			• •		• •		• •
^	165	169	143	92	176	••	• •	••			• •		••		••
	180	183	156	99	191	••	••	••			••		••		••
round	205	210	179	113	219	••	• •	••	_		• •		••		••
- B	138	139	139	70	101	•		•			•		•		•
C	150	153	153	76	115	••		••		• •	• •		• •		• •
	165	169	169	87	130	••		• •		• •	• •		• •		• •
quarter round	180	184	184	92	145	••		• •		• •	• •		• •		• •
quarter round	205	209	209	106	166	••		••		••	• •		••		••
Plastered boxes	40-	407	407	466	65	-									_
B	125	127	127	108	86	•							•		•
Α C	138	139	139	117	99	••							••	• •	•••
	150	153	153	129	112	••							•••	•••	•••
D 21	165	168	168	145	126	•••							••	•••	•••
20° bevelled	180 205	184 210	184 210	156 176	144 164	•••							••		•••
B	125	127	127	91	104	•							•		•
8	138	139	139	105		••							••	• •	••
A	150	153	153	105		•••							••	•••	•••
	165	168	168	130		••							••	•••	•••
90° rectangular	180	184	184	143		••							••	•••	•••
, o rectaingulai	180	104	104	143		1 **									

#### **Extruded built-on and plastered boxes**

		istered boxes					Available box co-					
		Dimensions of box in mm				S						
Form of box	Size of box	A	В	С	D	white 9016 m. (standard)	silver anod.	brown SF*	ALUKON RAL colour range	RAL (surcharge)		
Built-on boxes												
B	100	102	102	88	60	•	•	•	•	•		
	125	127	127	108	85	•	•	•	•	•		
	138	139	139	117	99	••	••	• •	• •	••		
	150	153	153	129	111	••	• •	• •	• •	• •		
	165	168	168	145	125	••	• •	• •	• •	• •		
20° bevelled	180	184	184	156	141	••	• •	• •	• •	• •		
access in front	205	210	210	179	170	••	• •	• •	••	••		
В	125	127	127	108	85	•	•	•	•	•		
	138	139	139	117	99	••	• •	• •	••	••		
	150	153	153	129	112	••	• •	• •	• •	• •		
	165	168	168	145	126	••	• •	• •	• •	• •		
20° bevelled	180	184	184	156	144	••	• •	• •	• •	••		
access at the bottom	205	210	210	179	164	••	• •	• •	••	••		
В	138	139	139	103	99	••	• •	• •	• •	• •		
] [ ] [c	150	153	153	112	114	••	• •	• •	• •	• •		
	165	169	169	121	125	••	• •	• •	• •	• •		
11 -	180	184	184	133	140	••	• •	• •	• •	• •		
45°° bevelled	205	209	209	151	169	••	• •	• •	••	••		
В	138	139	139	139	90				• •	• •		
A c	150	153	153	153	112				• •	• •		
	165	168	168	168	127				• •	• •		
D	180	184	184	184	139				• •	• •		
90° rectangular	205	209	209	209	168				••	• •		
B	138	141	123	78	148	••	• •	• •	••	• •		
6	150	152	133	84	160	••	• •	• •	••	• •		
A (	165	169	146	92	176	••	• •	• •	••	• •		
	180	183	158	99	191	••	• •	• •	••	••		
round	205	210	183	113	219	••	••	• •	••	••		
Plastered boxes												
8	125	127	127	111	85	•	•	•	•	•		
	138	139	139	120	99	••	••	• •	••	••		
A	150	153	153	132	112	••	••	• •	••	••		
0 10	165	168	168	148	129	••	• •	• •	• •	• •		
	180	184	184	159	144	••	• •	• •	••	••		
20° bevelled	205	210	210	171	164	••	••	••	••	••		
В В	138	139	139	139	90				••	••		
	150	153	153	153	112				••	• •		
A C	165	168	168	168	127				• •	• •		
D 10	180	184	184	184	139				• •	• •		
90° bevelled	205	209	209	209	168				• •	••		

- These colours do not correspond to a RAL shade.
- available colours for boxes without insect repelling system Available colours for boxes with insect repelling system

#### Types of installation




#### **ALUKON COLOUR VARIETY**

FOR ALL POWDER COATED ALUMINIUM PRODUCTS

#### **ALUKON RAL colour range**

brillant, matt or structured coating

All other RAL colours, roll formed boxes, assembled components with roll formed boxes in RAL as well as extruded roller shutter profiles and curtains are excluded from this special colour range. For the corresponding prices and extra charges please refer to our catalogue or our price list for assembled components.



#### **Surface types**

All aluminium surfaces are durable, easy to clean and suitable for façades, with excellent wheater proof and light resistance features. All products are coated with the latest technology in our modern powder coating facility to provide your favourite colours and surface type - Made in Germany.

## ALUKON SUN PROTECTION, ROLLER SHUTTERS AND INSECT REPELLING SYSTEMS

#### QUALITY PRODUCTS MADE IN GERMANY

ALUKON is one of the leading German manufacturers of roller shutters, sun protection and insect repelling systems. We produce on two sites in Konradsreuth (Upper Franconia) and in Haigerloch (Swabia).

ALUKON products are developed with enthusiasm and innovative capacity out of high-grade and durable material made-to-measure both for modernization or for new buildings.

Our variety of products and colours holds the most suitable ready for your liking amongst a lot of supplementary equipments. Individual integrated solutions are from one source.

Privacy, indoor climate and mood of the light can be adapted individually with ALUKON products.

More products and novelties are shown on our website <a href="https://www.alukon.com"><u>www.alukon.com</u></a>

Guidance, planning, sales and installation. All from one source.

