



## **ZIPTEX AND WIRETEX**

**TEXTILE SUN PROTECTION** 

WWW.ALUKON.COM



## **ZIPTEX AND WIRETEX FROM ALUKON**

THE NEW GENERATION OF SUN PROTECTION

Textile sun protection from ALUKON – modern and at the same time durable in material and design.

The textile curtains are UV-resistant, water- and dirt-repellent and therefore weatherproof. The boxes and guide rails are made of extruded, powder-coated aluminium. These features make ZipTex and WireTex systems a durable and low-maintenance sun protection system for your home.

More products and innovations can also be found at WWW.ALUKON.COM

## **MORE THAN JUST SUN PROTECTION**

ALUKON SYSTEMS HAVE MORE ADVANTAGES THAN YOU THINK



## **Sun protection**

pleasant indoor climate, even on hot summer days



## **Glare protection**

translucent fabric for a glare-free room atmosphere



**Privacy protection** more privacy in your own home



## For large areas

up to 18 m<sup>2</sup> and a maximum width of 600 cm



## Wind resistance

laterally guided curtain for stable cloth tension even at high wind loads



## UV and weather resistant through the use of high-quality

materials





## Easy to care for and low-maintenance

thanks to water- and dirt-repellent curtains



## **Extruded and durable**

ALUKON aluminium boxes are particularly robust and durable and impress with their wide range of shapes



### Facade design

large selection of different fabrics and colours



## Ease of use

convenient operation via electric drive or wireless motor as well as simple crank operation



Insect protection at closed ZipTex curtain



Made in Germany durable, high-quality materials




## **TWO VARIANTS OF TEXTILE SHADE**

ALUKON ZIPTEX AND WIRETEX

Textile sun protection systems installed in front of the window provide optimal shade in rooms without completely blocking the view to the outside. This means that particularly large window surfaces can be shaded in a wind-resistant manner and excessive heating of the room can be avoided. In general, we distinguish between two versions of textile sun protection systems, which are defined by the way in which they are guided laterally.

#### ZipTex – extremely stable lateral guide

- narrow guide rail with plastic zip guide keeps the curtain securely guided on both sides over the entire height
- fabric with side zip guide, which fixes the cloth in the guide rail without a gap
- wind-stable over 100 km/h depending on the installation situation and size
- $\cdot\,$  large areas up to 6 m wide and 18  $m^2$
- in the front box or invisibly plastered in the plaster base or top-mounted box





## WireTex – flexible, filigree lateral guide

- lateral guide via the slat bar at the bottom end of the fabric, which is guided on both sides via stainless steel cords
- $\cdot$  up to 4 m width and 12 m<sup>2</sup> surface
- for structural conditions where a guide rail is difficult or impossible to install, such as in front of fixed glazing



EXTREMELY STABLE SYSTEM

With innovative side zip guide for extremely high stability even with large window surfaces and high wind loads. For special demands on shading systems, also available with glass slip guard protection or integrated viewing window.



# BUILT-ON ZIPTEX



ROUND



20° INCLINED INSPECTION FRONT

20° INCLINED INSPECTION BOTTOM



90° STRAIGHT INSPECTION BOTTOM

## **SHAPES AND COLOURS**

AS A DESIGN ELEMENT FOR YOUR FACADE

Whether you are erecting a new building or upgrading an old one, ZipTex systems provide you with modern, versatile solar protection. Suitable for ALUKON roller shutters and venetian blinds, ZipTex can be integrated into the same boxes and thus adapted to the external appearance.



### Set accents

available in all RAL colours in gloss, matt and textured paint coating or anodised version



#### **Easy inspection**

the external inspection cover enables quick and clean service and repair work

## Stable lateral guidance

zip attached to the fabric guide fixes the curtain in the zip guide



#### **Extruded and durable**

ALUKON aluminium boxes are available in a wide range of shapes, extremely robust and corrosion-resistant

# PLASTER BASE ZIPTEX



PLASTER BASE 20°

PLASTER BASE 90°

## **FACADE-INTEGRATED SOLUTION**

INVISIBLE AND FUNCTIONAL

ZipTex in the ALUKON plaster base box can be integrated invisibly into the facade when erecting a new building or retrofitting external insulation.



#### The invisible solution

ALUKON ZipTex plaster base integrate almost invisibly into the facade



## **Easy inspection**

the external inspection cover enables quick and clean service and repair work



#### Stable lateral guidance

zip attached to the fabric guide fixes the curtain in the zip guide



#### **Extruded and durable**

ALUKON aluminium boxes are extremely robust and available in two plasterable variants

# **GIASS FALL PROTECTION BUILT-ON AND PLASTER BASES** ZIPTEX





PLASTER BASE 20° ROUND INCLINED OR 90° STRAIGHT 20° INCLINED INSPECTION FRONT 20° INCLINED INSPECTION BOTTOM



**INSPECTION FRONT** 



90° STRAIGHT INSPECTION BOTTOM

## **GLASS FALL PROTECTION**

CAN BE INTEGRATED IN THE BUILT-ON AND PLASTER BASE ZIPTEX

The ALUKON fall protection is a modern, discreet solution for floor-to-ceiling windows. It provides unrestricted visibility to the outside and more daylight intake in the rooms.

Planning is carried out directly with the built-on or plaster base ZipTex and can be used in new buildings as well as in modernisations. The 16 mm laminated glass (according to AbP) is inserted into the waterproof, two-part guide rail between the window and curtain and secured in a concealed manner.\*



#### **Quick and easy installation**

directly with the curtain, therefore no additional fastening to the facade is necessary

#### **Tested safety**

Glass heights 50 to 110 cm and system widths up to 280 cm; with filigree glass edge protection

\*Test certificate according to DIN 18008 for use in Germany is available. Under certain circumstances, coordination with local authorities may be necessary. We recommend you to inform yourself accordingly.

# TOP-MOUNTED ZIPTEX



131

INTERNAL INSPECTION

EXTERNAL INSPECTION

## FOAMED TOP-MOUNTED BOX

MOUNTED ON THE WINDOW

The foamed top-mounted box AK-FLEX with ZipTex is specially designed for new buildings or renovations together with the entire window and meets the current requirements for both thermal and sound insulation. At the same time, this box offers the highest level of sound insulation, since values ( $R_W$ ) of up to 47/46 dB can be achieved without additional measures.





#### The invisible solution

AK-FLEX top-mounted boxes with ZipTex curtain integrate almost invisibly into the facade



## Easy to install

the box is mounted with an adapter profile directly on the window and installed together



#### **Stable lateral guidance**

zip attached to the fabric guide fixes the curtain in the zip guide



### For all installation situations

different wall thicknesses for thermal insulation composite system and exterior plaster

## WIRETEX

FLEXIBLE, FILIGREE SUN PROTECTION SOLUTION

fabric guided via a slat bar that slides laterally over tensioned stainless steel cords and securely guides and holds the durable, weather-resistant curtain in place. Comfortable operation through motorisation, radio control or automation.



# BUILT-ON WIRETEX



20° INCLINED INSPECTION FRONT



90° STRAIGHT INSPECTION FRONT

## **CABLE-GUIDED VERSION**

IN CONNECTION WITH BUILT-ON BOXES

WIRETEX textile built-on sunprotection systems with filigree cable guide for new buildings and modernisations. With the small boxes without lateral guide rails, these are particularly well suited for retrofitting. The wide selection of box shapes and colours, as well as fabric variants, means that a suitable cloth/box combination can be found for every application.



#### Set accents

boxes available in all RAL colours in gloss, matt and textured paint coating or anodised version



#### **Easy inspection**

the external inspection cover enables quick and clean service and repair work



the curtain is guided on both sides via the connection between the slat bar and stainless steel cable



#### **Extruded and durable**

ALUKON aluminium boxes are extruded, making them extremely robust and corrosion-resistant

## **DESIGN AND FLEXIBILITY**

FOR THE HIGHEST DEMANDS

The modern and stylish type of flexible separation. As a wind resistant weather protection for terraces and roofing. Additional visibility provided by an optional PVC viewing window. Made in Germany









PLASTER BASE 90° STRAIGHT OR 20° INCLINED



ROUND



20° INCLINED INSPECTION FRONT



20° INCLINED INSPECTION BOTTOM



90° STRAIGHT INSPECTION FRONT



90° STRAIGHT INSPECTION BOTTOM

## **ZIPTEX WITH VIEWING WINDOW**

WIND AND WEATHER PROTECTION WITH A VIEW

ZipTex with a viewing window is a custom-made wind and weather protection system, especially on terrace roofs. The PVC viewing window can be integrated into more than 125 variants of Satiné, Veozip and SOLTIS cloths.

The transparent window film and the ZipTex curtain are welded together and are UV-resistant. The systems are equipped with convenient motor operation or alternatively crank operation.





## Privacy protection

more privacy with a view



#### Wind and weather protection

extended terrace use even in less than optimal weather



#### **Stable lateral guidance**

zip guide attached to the fabric fixes the curtain in the zip guide



#### **Maximum size**

continuous viewing window at maximum height of 136 cm for element sizes up to 400 x 300 cm SATINÉ 5500 PVC-COVERED FIBREGLASS THREADS TWILIGHT PEARL 297 PVC-FREE POLYESTER

## **NATURALLY TRANSPARENT**

PLAY OF LIGHT AND SHADOW, TAILORED TO YOUR NEEDS


With ALUKON ZipTex, practically everything is possible. You'll find everything from translucent fabrics to single or multi-coloured curtain variants and darkening fabrics. Choose your preferred colour from the fabrics Satiné 5500, twilight PEARL 297, SOLTIS® 86, 92, B92 and Veozip. Even darkening systems can be implemented with the special darkening fabrics (SOLTIS® B92).

Depending on the cloth variant, visibility from the outside to the inside is also reduced or completely prevented at night. All Zip-Tex systems offer good protection against insects when closed.

SOLTIS® 92 POLYESTER FABRIC

CURTAIN VARIANTS | 27

SOLTIS® VEOZIP POLYESTER FABRIC



## **FABRIC TYPES AND COLOURS**

THE RIGHT ONE FOR EVERY WINDOW

You can choose freely from the ALUKON range of fabrics. In contrast to light fabrics, dark fabrics provide better protection against sunlight and glare, but also dampen the light conditions in the room more.



#### **Privacy protection**

more privacy in your own home



**Glare protection** translucent fabric for glare-free room atmosphere



## Sun protection pleasant indoor climate,

even on hot summer days



## Easy to care for and low-maintenance

through water- and dirtrepellent curtains

## **CONVENIENT OPERATION**

THE RIGHT ONE FOR EVERY APPLICATION

With a solar/wind control system, the systems can be controlled even when you're away from home and move fully automatically into the preset shading position with the defined level of sunlight.

## **Radio control**

Radio drives with hand-held transmitters or timers offer additional convenience

## Automation

with suitable drives, sun protection systems are Smart Home compatible and can be integrated into existing house controls

## **DESIGN WITH FUNCTION**

CONVENIENT OPERATION

ZipTex and WireTex systems are always motorised and can be operated by switch as standard.

Optional radio drives with hand-held transmitters or timer offer additional comfort.

## **OVERVIEW**

BUILT-ON AND PLASTER BASE BOXES FOR ZIPTEX, FOAMED TOP-MOUNTED BOXES AK-FLEX AND BUILT-ON BOXES WIRETEX

Extruded ZipTex built-on and plaster base boxes

#### Available Box dimensions in mm box colours Box size ALUKON RAL co-lour collection RAL (additional cost) Box shape Variants Standard A В С D white 9016 Matt **Built-on boxes** В 90 91 91 74 49 • • с • • 100 102 102 88 60 125 • • 127 127 108 85 D 20° inclined, 138 139 139 117 99 • ٠ inspection front В 90\* • • 91 91 74 49 C 100\* 102 102 89 60 • • Left roller - installation in the reveal 125 127 127 108 85 • • D 20° inclined, 139 99 inspection bottom 138 139 117 • ٠ • • 90 91 91 91 49 • • C 100 102 102 102 60 • • 125 127 127 127 85 90° straight, inspection front 138 139 139 139 90 • • В 90 91 91 91 49 . • • ٠ 100 102 102 102 60 Left roller - installation on the façade • • 125 127 127 127 85 D 90° straight, inspection bottom 138\* 139 139 139 90 • • \_ \_ \_ \_ -C -\_ ----\_ -\_ \_ • • round 138 141 123 78 148 **Plaster base boxes** В Left roller - installation as plaster base -\_ --c 100 102 102 89 60 • • 125 127 127 111 85 • • D 20° ciclined 138 139 139 120 99 ٠ ٠ В \_ -\_ \_ -100 • • 102 102 102 60 • • 125 127 127 127 85 20 D 138 139 90 • • 90° straight 139 139 Right roller - installation in the reveal


#### **Types of installation**

\* 4-piece box

#### WireTex

| Box shape                         | Box size | Box dimensions in mm |     |     |              | Available<br>box colours |   |
|-----------------------------------|----------|----------------------|-----|-----|--------------|--------------------------|---|
|                                   |          | A B                  | В   | С   | D            | Standard<br>white        | ALUKON RAL<br>colour collection<br>RAL (additional<br>cost) |
|                                   |          |                      |     |     | 9016<br>Matt | ALL<br>Colou<br>RAL      |   |
| Built-on boxes                    |          |                      |     |     |              |                          |   |
| 20° inclined, inspection<br>front | 90       | 91                   | 91  | 74  | 49           | •                        | •   |
|                                   | 100      | 102                  | 102 | 88  | 60           | •                        | •   |
|                                   | 125      | 127                  | 127 | 108 | 85           | •                        | •   |
|                                   | 138      | -                    | -   | -   | -            | •                        | •   |
|                                   | 90       | 91                   | 91  | 91  | 49           | •                        | •   |
|                                   | 100      | 102                  | 102 | 102 | 60           | •                        | •   |
|                                   | 125      | 127                  | 127 | 127 | 85           | •                        | •   |
| 90° straight, inspection<br>front | 138      | -                    | -   | -   | -            | •                        | •   |


## Installation type and information



## ZipTex - AK-FLEX

| Pov chana                | Box size | Box dimensions<br>in mm |     | Available<br>Box                                |  |
|--------------------------|----------|-------------------------|-----|---|--|
| Box shape                |          | A                       | В   | colours   |  |
| A<br>Internal inspection | 270      | 270                     | 260 | Standard colour                                 |  |
|                          | 300      | 300                     | 260 | white<br>Other foils for                        |  |
|                          | 365      | 365                     | 260 | guide rails<br>can be found in<br>the technical |  |
|                          | 270      | 270                     | 260 | documentation<br>for the<br>top-mounted         |  |
|                          | 300      | 300                     | 260 | systems and<br>the<br>element price             |  |
| External inspection      | 365      | 365                     | 260 | list.   |  |

## Types of installation




## **ALUKON COLOUR RANGE**

FOR ALL POWDER-COATED ALUMINIUM PRODUCTS

#### **ALUKON RAL colour collection**

in gloss, matt and textured paint coating

All other RAL colours, as well as roll-formed panels, prefabricated elements with roll-formed boxes in RAL, all extruded roller shutter profiles, gates and finished shells are excluded from this special regulation. The corresponding prices and surcharges can be found in our catalogue or our item price list.



### **Surface qualities**

All aluminium surfaces are durable, easy to clean and have façade suitability with good light and weathering resistance. All products are coated in our own state-of-the-art powder-coating facility in the desired colours and surface qualities - Made in Germany.

## ALUKON SUN PROTECTION, ROLLER SHUTTERS AND INSECT SCREENS

QUALITY PRODUCTS MADE IN GERMANY

ALUKON is one of the leading German manufacturers of roller shutters, Sun and insect protection products. Our production takes place at two locations in Konradsreuth in Upper Franconia and Haigerloch in Swabia.

ALUKON products are developed with great commitment and a high level of innovation and are made to measure from high-quality and durable materials, whether for modernisation or new construction.

Find the right product and colour variety for your needs and choose from a wide range of additional options. We offer you customised complete solutions from a single source.

With ALUKON products, you can individually adapt the privacy, indoor climate and lighting mood in the room.

More products and innovations can also be found at WWW.ALUKON.COM

| ALUKON KG KONRADSREUTH | Münchberger Straße 31 | D-95176 Konradsreuth | <b>Telephone:</b> +49 9292 950-0  | E-mail: info@alukon.com            |
|------------------------|-----------------------|----------------------|-----------------------------------|------------------------------------|
| HAIGERLOCH             | Am Griesbaum 1        | D-72401 Haigerloch   | <b>Telephone:</b> +49 7474 3914-0 | E-mail: info.haigerloch@alukon.com |

| Consulting, planning, sales and assembly. Everything from one source. |
|---|
|   |
|   |
|   |
|   |
|   |
|   |
|   |

