

CUSTOMER INFORMATION 01/2021

Dear Sirs,,

please find below a brief overview of novelties 2021 as well as some changes and product improvements in the ALUKON product range:

ALUKON NOVELTIES 2021

FOAMED TOP MOUNTED BOX AK-FLEX.2

The new AK-FLEX.2 has a **tested statics concept** with **high stability** and can be used for element widths of up to 500 cm. It is available with **mini / maxi roller shutters, venetian blinds and ZipTex curtains** and also as a clinker box. Optionally, it can be equipped with integrated **insect repellition** or **fall protection**. The box can be easily and securely snapped onto the window and is available with guide rails made of PVC or aluminum that are resistant to driving rain.

ALUKON LIGHT GUIDING SLAT LS 80

The new light guiding slat ensures a **perfect incidence of daylight** without glare. It is available in the **facade venetian blind, RAFF-E** as well as in the **front-mounted and top-mounted box** in ten trendy colors. The 20 ° light guide position ensures nonglaring without re-adjusting. For optimal closing behavior and noise reduction, there is a rolled-up beading in the lower edge of the slat. The vertical, flanged textile punching allows only little light to shine through when it is closed and the guide nipples in the shape of a ship's propeller ensure best stacking behavior.

You can find detailed information on these new products at WWW.ALUKON-EXPO.COM and in the two enclosed product flyers.

EXTENSION OF THE RANGE

REAR ISOLATION FOR FRONT-MOUNTED BOXES

We are expanding our range of rear insulations for front-mounted roller shutters, venetian blinds and ZipTex. From April 1st, 2021, the boxes mentioned will be available with insulation on the rear side of the box in thicknesses of 10, 20, 30, 40, 50, 60, 70, 80 and 100 mm. In this context, we have added a **new plaster base plate** into our range. In addition to the previous 6 and 15 mm, our plaster support boxes can now also be equipped with a **10 mm insulation plate**. Our XPS panels can be ordered as follows:

Item code	Designation
190720300	Isolation XPS for PT, 2000 x 500 x 6 mm
190700210	Isolation Quick-Tape XPS, 3000 x 500 x 10 mm *NEW*
190700200	Isolation Quick-Tape XPS-SL, 2000 x 500 x 19 mm
190720400	Isolation XPS for PT, 2000 x 500 x 15 mm
190700240	Isolation Quick-Tape XPS, 3000 x 500 x 40 mm *NEW*

MORE CHANGES IN THE ROLLER DOORS LINE

CURTAINS T77 / M 521

After we switched to the new ALUKON roller door generation 2.0 last year, from April 1st, 2021 the **T 77 curtains** will be delivered as standard with a **black end profile** for door widths up to 520 cm, or with a **elevated SL RT-520** for door widths over 520 cm . These can then be ordered either with or without safety switch-off device 2.0.

The SL RT is no longer available in the pre-fabricated curtain range but can still be ordered as a cut-to-size version with a pre-assembled safety switch-off device 1.0. Please note that system parts 2.0 are not compatible with system parts 1.0. Single pieces and spare parts for the SL RT 1.0 can still be ordered from us.

SOMFY SOLAR DRIVES

IN PRE-FABRICATED ELEMENTS

From now on we will generally deliver ALUKON prefabricated elements with solar drives with a **1-channel control element**. This allows an easy assembly at the construction site and at the same time prevents damage caused by connecting the battery to the motor at a later date.

CLEAN-UP OF THE RANGE

PRE-FABRICATED CURTAINS

From April 1st, 2021, the **prefabricated curtains M 328-N** will be taken out of our range. As an alternative, these can be ordered in profile M 317 at the same price. The two profiles are of the same color and achieve the same winding values. The only exception is the color jamaica brown, which still has to be purchased as M 328-N ready-made curtain, as this is not available in the M 317 profile.

Further technical information can be found in our dealer portal on our website. If necessary, leaflets, price lists and planning documentations can be requested separately from your responsible ALUKON contact person.

With best regards

Ihr ALUKON Team

ALUKON KG

Münchberger Straße 31
D-95176 Konradsreuth
Telefon: +49 9292 950-0
Mail: info@alukon.com
Internet: www.alukon.com